



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

h

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/706,783

11/12/2003

Matthew Martin

132702-0123

7165

50659

7590

01/24/2006

BUTZEL LONG
DOCKETING DEPARTMENT
100 BLOOMFIELD HILLS PARKWAY
SUITE 200
BLOOMFIELD HILLS, MI 48304

EXAMINER

SALATA, ANTHONY J

ART UNIT

PAPER NUMBER

2837

DATE MAILED: 01/24/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/706,783

Applicant(s)

MARTIN, MATTHEW

Examiner

Jonathan Salata

Art Unit

2837

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-17 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>2-17-04, 7-19-04</u> . | 6) <input type="checkbox"/> Other: ____ |

Art Unit: 2837



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY AND COMMISSIONER OF PATENTS AND
TRADEMARKS
Washington, D.C. 20231

Paper No:01202006
Application No:10/706783
Filing Date: November 12,2003

1. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed. It should be brief but technically accurate and descriptive, preferably from two to seven words. See 37 CFR 1.72(a).
2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
3. Claims 1-17 are rejected under 35 U.S.C. 102(b) as being anticipated by Kraft (4529065).

Kraft teaches in figures 1-4, an elevator system for operation under emergency conditions.

A primary source of power 120 and auxiliary supply 170, are utilized to operate the locking mechanism 39 in the event of power failure. Relay VM and contacts VM-1, VM-4 are actuated upon primary power failure. Locking mechanism 39 contains solenoids 64,65.

Art Unit: 2837

The device operates that upon a primary power failure, the locking mechanism remains in its current position based on landing zone detection. If the elevator is in a landing zone, the locking mechanism can only be changed by a passenger providing manual assistance to the doors. If the door is closed, they may be opened by manual force which allows the locking mechanism to unlock and if the doors are open, further manual actuation allows the locking mechanism to actuate and prevent closing of the doors. The device would appear to operate in a similar manner if the secondary power supply also ends (claim 17).

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Sager et al., U*chino et al., Fargo et al., Simpson and the foreign references are cited to illustrate similar elevator emergency door/restrictor actuation.

A shortened statutory period for response to this action is set to expire 3 months from the date of this letter.

Failure to respond within the period for response will cause the application to become abandoned. 35 U.S.C. 133

Any inquiry of a **general nature** should be directed to the **Group receptionist** whose telephone number is **(571) 272-2800**.

Information regarding the STATUS of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either private PAIR or public PARI. Status information for unpublished applications is available through Private PAIR ONLY. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Any questions on access to PAIR, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Papers related to this application may be submitted to Group 2800 by facsimile transmission. Papers should be faxed to Group 2800 via the PTO 2800 Fax Center. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 O.G. 30 (November 15, 1989). The Fax Center number is (571) 273-8300.

For assistance in **Patent procedure, fees or general Patent questions** calls should be directed to the **Inventors Assistance Center (IAC)** whose telephone number is **800-PTO-9199 or 800-786-9199**. Assistance is also available on the Internet at www.uspto.gov.

For requesting copies of Cited Art, Office Actions or the like, response to Status Letters, lost papers or files or General Problem solving, calls should be directed to the TC 2800 Customer Service Office whose telephone number is 571-272-2800 or by fax at 571-273-8300.

Art Unit: 2837

Any inquiry concerning **this communication or earlier communications from the examiner** should be directed to **Jonathan Salata whose telephone number is (571) 272-2073**.

The examiner does not have as detailed access as the previously listed numbers with regard to status or general problem solving. The examiner can normally be reached on Monday through Thursday from 7:30 am to 2:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Martin, can be reached on (571) 272-2107.

ajs

January 20, 2006


JONATHAN SALATA
PRIMARY EXAMINER
ART UNIT 2837